

FIG. 1



SG-Neo	Huh-7	Huh-7.5	Huh-7.8	Huh-7.4	Huh-7/5AΔ47	Huh-7/S2204I
S2204I 1 x 10 ⁴ cells	9% 	30% 	11% 	10.5% 	6% 	10%
5AΔ47 2.5 x 10 ⁴ cells	0.15% 	5% 	1.3% 	0.43% 	0.4% 	0.0065%
wt 2.5 x 10 ⁵ cells	0.0005% 	0.005% 	0.001% 	0.001% 	0.0008% 	NT

FIG. 2



Title: Highly Permissive Cell Lines for Hepatitis C
 Virus RNA Replication
 Inventor(s): Charles M. Rice, Keril J. Blight
 Appl. No. 10/534,571
 Docket # 56029/54474

3 / 9




FIG. 3




FIG. 4



Title: Highly Permissive Cell Lines for Hepatitis C
Virus RNA Replication
Inventor(s): Charles M. Rice, Keril J. Blight
Appln. No. 10/534,571
Docket # 56029/54474

5 / 9




FIG. 5



Title: Highly Permissive Cell Lines for Hepatitis C
Virus RNA Replication
Inventor: Charles M. Rice, Keril J. Blight
Appln. No. 10/534,571
Docket # 56029/54474

6/9




FIG. 6



Title: Highly Permissive Cell Lines for Hepatitis C
Virus RNA Replication
Inventor(s): Charles M. Rice, Keril J. Blight
Appln. No. 10/534,571
Docket # 56029/54474

7/9




FIG. 7A

B




FIG. 7B

A




FIG. 8A

B




FIG. 8B